

Premier

Manufacturers of Precision Ground Cutting Tools



Disc Milling
simmill QX
e - Catalogue

Scheibenfräser, VHM


Hochleistungs-Scheibenfräser aus VHM für das Nutfräsen.

Disc Milling Cutter, Solid Carbide

High performance solid carbide disc milling cutters for groove milling.

Schnittwerte (Start) // Cutting parameters (start)

fzm
0,06 mm



ØDS	w	w1	R	Artikelnummer Part number	Webcode www.simtek.com/webcode	ØD2	tmax	ZEPF								
									P	K	M	N	S	mm	mm	mm
50,0	2,0	1,9	-	Q50.0200.000 GY	BC08	X700 X500	13,0	12,0	14					new		
50,0	2,0	1,9	0,2	Q50.0200.020 GY	BCV8	X700 X500	13,0	12,0	14					new		
50,0	2,5	2,4	-	Q50.0250.000 GY	BC1A	X700 X500	13,0	12,0	14					new		
50,0	2,5	2,4	0,2	Q50.0250.020 GY	BCWA	X700 X500	13,0	12,0	14					new		
50,0	3,0	2,9	-	Q50.0300.000 GY	BC1C	X700 X500	13,0	12,0	14					new		
50,0	3,0	2,9	0,2	Q50.0300.020 GY	BCWC	X700 X500	13,0	12,0	14					new		
50,0	4,0	3,9	-	Q50.0400.000 GY	BC1E	X700 X500	13,0	12,0	14					new		
50,0	4,0	3,9	0,2	Q50.0400.020 GY	BCWG	X700 X500	13,0	12,0	14					new		
50,0	5,0	4,9	-	Q50.0500.000 GY	BC1G	X700 X500	13,0	12,0	14					new		
50,0	5,0	4,9	0,2	Q50.0500.020 GY	BCWJ	X700 X500	13,0	12,0	14					new		
50,0	6,0	5,9	-	Q50.0600.000 GY	BC1J	X700 X500	13,0	12,0	14					new		
50,0	6,0	5,9	0,2	Q50.0600.020 GY	BCWM	X700 X500	13,0	12,0	14					new		
50,0	8,0	7,9	-	Q50.0800.000 GY	BC1M	X700 X500	13,0	12,0	14					new		
50,0	8,0	7,9	0,2	Q50.0800.020 GY	BCWP	X700 X500	13,0	12,0	14					new		
50,0	10,0	9,9	-	Q50.1000.000 GY	BC1P	X700 X500	13,0	12,0	14					new		
50,0	10,0	9,9	0,2	Q50.1000.020 GY	BCWS	X700 X500	13,0	12,0	14					new		

simmill AX

simmill PMX

simmill SX

simmill UX

simmill QX

simmill OS

Index

Scheibenfräser, VHM


Hochleistungs-Scheibenfräser aus VHM für das Nutfräsen.

Disc Milling Cutter, Solid Carbide

High performance solid carbide disc milling cutters for groove milling.

Schnittwerte (Start) // Cutting parameters (start)

fzm
0,06 mm



ØDS	w	w1	R	Artikelnummer Part number	Webcode www.simtek.com/webcode	ØD2	tmax	ZEFP				
									P	K	M	N
63,0	2,0	1,9	0,2	Q63.0200.020 GY	BCVP	X700 X500	16,0	15,0	18			new
63,0	2,5	2,4	0,2	Q63.0250.020 GY	BCVS	X700 X500	16,0	15,0	18			new
63,0	3,0	2,9	0,2	Q63.0300.020 GY	BCVU	X700 X500	16,0	15,0	18			new
63,0	4,0	3,9	0,2	Q63.0400.020 GY	BCVY	X700 X500	16,0	15,0	18			new
63,0	5,0	4,9	0,2	Q63.0500.020 GY	BCV0	X700 X500	16,0	15,0	18			new
63,0	6,0	5,9	0,2	Q63.0600.020 GY	BCV2	X700 X500	16,0	15,0	18			new
63,0	8,0	7,9	0,2	Q63.0800.020 GY	BCV4	X700 X500	16,0	15,0	18			new
63,0	10,0	9,9	0,2	Q63.1000.020 GY	BCV6	X700 X500	16,0	15,0	18			new

simmill QX

simmill OS

Index
2

Scheibenfräser, VHM


Hochleistungs-Scheibenfräser aus VHM für das Nutfräsen.

Disc Milling Cutter, Solid Carbide

High performance solid carbide disc milling cutters for groove milling.

Schnittwerte (Start) // Cutting parameters (start)

fzm
0,06 mm



ØDS	w	w1	R	Artikelnummer Part number	Webcode www.simtek.com/webcode	ØD2	tmax	ZEPF							
									P	K	M	N	S	mm	mm
63,0	2,0	1,9	-	Q63.0200.000 GY	BCZU	X700 X500	16,0	15,0	18					new	
63,0	2,5	2,4	-	Q63.0250.000 GY	BCZW	X700 X500	16,0	15,0	18					new	
63,0	3,0	2,9	-	Q63.0300.000 GY	BCZY	X700 X500	16,0	15,0	18					new	
63,0	4,0	3,9	-	Q63.0400.000 GY	BCZ0	X700 X500	16,0	15,0	18					new	
63,0	5,0	4,9	-	Q63.0500.000 GY	BCZ2	X700 X500	16,0	15,0	18					new	
63,0	6,0	5,9	-	Q63.0600.000 GY	BCZ4	X700 X500	16,0	15,0	18					new	
63,0	8,0	7,9	-	Q63.0800.000 GY	BCZ6	X700 X500	16,0	15,0	18					new	
63,0	10,0	9,9	-	Q63.1000.000 GY	BCZ8	X700 X500	16,0	15,0	18					new	

simmill QX


simmill OS

Index

3



Manufacturers of Precision Ground Cutting Tools



Premier Form Tools Ltd

Lancaster Road, Bowerhill, Melksham, Wiltshire, SN12 6SS, UK

Tel: +44 (0)1225 702584 Fax: +44 (0)1225 790026

e-email: enquiries@premierformtools.co.uk

Full details of our products are available at
www.premierformtools.co.uk